

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 / TB-500 - 20mg



Tested for: NuStandard Labs LLC
www.nustandardlabs.com

COA #: COA-2026-JNT-04
Lot Number: NL-WV07261
Labeled Content: 20mg
Volume: 3mL

Analysis Date: 07/23/2026
Appearance: Good
Volume: 3mL
Date Received: 07/09/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: MSB3APJ9

Method: Blend Purity, Identity & Quantitation (HPLC), Endotoxin (USP <85>)

Identity	Peptide Purity	
BPC-157 / TB-500	99.87%	Fentanyl Free


Blend Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.87%	%	PASS
Identity (HPLC-RTM)	BPC-157 + TB-500	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



BPC-157 / TB-500 20mg -
NL-WV07261

HPLC Chromatogram



BPC-157 / TB-500 20mg - NL-WV07261: UV Chromatogram

Additional Tests

Analyte	Specification	Result	Unit	Status
Net Blend Peptide Content	Report Only	21.21	mg	N/A
-- BPC-157		10.82	mg	
-- TB-500		10.39	mg	

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.101 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/23/2026

COA #: COA-2026-JNT-04
Access Code: MSB3APJ9
Verify: lab.ils-lab.com
Issued: 7/23/2026

Notes & Methodology

1. Date Tested: 07/23/2026. Methods: Blend Purity, Identity & Quantitation (HPLC); Additional Tests.
2. The sample was confirmed to be BPC-157 / TB-500 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
4. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
5. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (BPC-157, TB-500). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.



Dr. Greg Kalyuzhny
Lab Director
7/23/2026

COA #: **COA-2026-JNT-04**
Access Code: **MSB3APJ9**
Verify: lab.ils-lab.com
Issued: 7/23/2026